

### **EVEN MORE FOR YOUR 4X4**



## YOUR EASY GUIDE EVEN MORE FOR YOUR 4x4

### **CONTENTS**

4
5
6
7
8
9
10
11
12
14
15
16
17
18

TYR MAI	E NTENAN	CE	
	OMPRESSOR	20	
REPAI	R & ACCESSO	RIES 21	
PRES	SURE MONITO	RING 22	
AWI	NINGS & CESSORI	ES 24	-
SUS	<b>SPENSIO</b>	N	
	RO RANGE	26	
ENDU LIFT K	RO SUSPENSI (ITS	ON <b>28</b>	1
FLA	RES	29	
FILT	<b>RATION</b>	30	
TRE	D	32	1
SNC	DRKELS	34	1
No.			
	O		1144





Exhaust:

Winches:

All Recovery Equipment:

Air Compressor:

Tyre Maintenance:

Camping:

Shock Absorbers & Dampers: 3 Years/80,000km

Enduro Pro Shocks:

2 Years

7 Years Limited

1 Year

3 Years

1 Year

1 Year

3 Years/80.000km

Suspension Lift Kits:

Flares:

Filtration:

TRED:

R-SPEC Safari Snorkels: V-SPEC Safari Snorkels:

ARMAX™ Safari Snorkels

3 Years/80,000km

1 Year

1 Year

Limited Lifetime

5 Years

Lifetime

Lifetime

Some products may vary from the image shown depending on the make and model of vehicle.

## AUTO ELECTRICAL SOLAR PANELS

### 1.5W SOLAR PANEL

Ideal for maintaining the battery in cars, boats & caravans.

- Amorphous solar cell performs even in low light conditions
- 12 Volt, 1.5 Watts
- · Compact and lightweight
- Durable outer casing
- Suction cups for easy mounting



#### 60W SEMI-FLEXIBLE SOLAR PANEL DEPEND

Great for a maintenance system for your caravan or boat when not in use or charging up your mobile phone.

- Monocrystalline
- 680 x 575 x 3mm
- Open circuit voltage: 22.6V
- Short circuit current: 3.4A



#### 80W SEMI-FLEXIBLE SOLAR PANEL DISPESO

Great for on the cars rooftop to keep your battery topped up while you're away, allowing you to power a fridge.

- Monocrystalline
- 845 x 690 x 3mm
- Open circuit voltage: 21.6V
- Short circuit current: 4.53A



#### 110W SEMI-FLEXIBLE SOLAR PANEL DTSPF110

Powers various applications such as fridges, lights and mobile devices while travelling off the grid.

- Monocrystalline
- 1070 x 670 x 3mm
- Open circuit voltage: 21.6V
- Short circuit current: 6.53A



### 160W SEMI-FLEXIBLE SOLAR PANEL

Simply attach your semi-flexible solar panel to the roof of your car, caravan or camper trailer to keep your battery bank topped up, allowing you to power your whole campsite.

- Monocrystalline
- 1370 x 670 x 3mm
- Open circuit voltage: 21.9V
- Short circuit current: 9.37A



### **AUTO ELECTRICAL** SOLAR BLANKETS

#### 120W FOLDABLE SOLAR BLANKET

DTSB120

Portable, compact and lightweight, the 120W Foldable Solar Blanket is the perfect way to charge your batteries allowing you to power your fridge, lights and mobile devices.

- Monocrystalline
- Includes PWM regulator
- Open measurements: 1100 x 700 x 5mm
- Closed measurements: 360 x 360 x 70mm
- Open circuit voltage: 22.1V

Short circuit current: 7.35A





### 200W FOLDABLE SOLAR BLANKET

Portable, compact and lightweight, the 200W Foldable Solar Blanket is the perfect way to charge your batteries while allowing you to power your inverter, fridge, lights and mobile devices.

- Monocrystalline
- Includes PWM regulator
- Open measurements: 1110 x 1105 x 5mm
- Closed measurements: 530 x 385 x 105mm
- Open circuit voltage: 22.1V
- Short circuit current: 11.53A





### **AUTO ELECTRICAL** SOLAR ACCESSORIES

#### 10A SOLAR REGULATOR DTSR10

- Suitable for solar panels up to 120 watts
- Wet cell rechargeable only
- Waterproof PWM regulator
- Open circuit of solar panel: <50V</li>
- Low voltage disconnection: 10.7/21.4V
- Low voltage reconnection: 12.6/25.2V
- Float voltage: 13.75/28V
- No load current +/- 25mA
- LED indicators
- Fully automatic



## 30A SOLAR REGULATOR AND MONITOR DISR30

- Suitable for solar panels up to 360 watts
- Open circuit of solar panel: <50V
- Low voltage disconnection: 10.7/21.4V
- Low voltage reconnection: 12.6/25.2V
- Waterproof PWM regulator and battery monitor
- LCD monitor
- Fully automatic
- Low and high voltage disconnect



#### 50A ANDERSON STYLE PLUG EXTENSION LEAD

- 2 Heavy duty Anderson style plugs
- 6mm twin core cable
- Durable polycarbonate casing
- Silver plated copper terminals
- Length: 3m



#### 50A ANDERSON STYLE PLUG TO BATTERY CLIP LEAD DIAPC

 50A Anderson style plug to alligator clips lead

• Length: 300mm



#### 50A ANDERSON STYLE PLUG TO EYE TERMINAL LEAD DIAPE

- 50A Anderson style plug
- 6 B&S cable
- Length: 300mm



#### 50A ANDERSON STYLE PLUG SINGLE TO TWIN LEAD DTAPY

- 50A Anderson style plugs
- 6 B&S cable
- Length: 300mm
- · Termination: pre wired
- Conductor cross section: 13.36mm2



## **AUTO ELECTRICAL**BATTERY MANAGEMENT

### **200W WIND GENERATOR KIT** DT-WG200

- 200W output
- Low start up speed of 2.5m/s
- Nylon composite blades
- · Die-cast aluminium housing
- Includes 3-phase regulator, 3x 1.5m mounting poles and ropes
- · Comes in a handy carry bag





#### **POWER DISTRIBUTION BOX**

#### DT-06013

- Connect to standard Anderson plug
- 2x 10A accessory sockets
- 2x 2.4A USB outlet
- 1x 50A Anderson style plug
- 2x wired blank connectors
- LCD volt/amp meter
- · Low voltage warning
- Internal circuit breaker protection



## AUTO ELECTRICAL SWITCHES

# TO SUIT ISUZU/ HOLDEN DRIVING LIGHTS SWITCH DT-11048

- 3A @ 12V
- Mounting hole: 34mm x 22mm
- Wiring Code: Black: Earth, Blue: Dash light circuit (optional), Red: 12V input, Green: 12V output
- Suits:
  - Isuzu D Max 2013 2016
  - Holden Colorado 2013 2016

#### TO SUIT TOYOTA / MITSUBISHI



- 3A @ 12V
- Mounting hole: 32.5mm x 22mm
- Wiring Code: Black: Earth, Blue: Dash light circuit (optional), Red: 12V input, Green: 12V output
- · Suits:
  - Toyota Prado 150 series 2010 2018
  - Toyota Landcruiser 200 series 2008 current
  - Toyota Rav4 2006 2011
  - Toyota HiLux GUN series 09/2015 - current
  - Mitsubishi Triton 2015 current

Part No.	Description
DT-11002	Driving Lights Switch
DT-11078	Aux Lights Switch
DT-11077	Beacon Switch
DT-11105	UHF RJ45 Socket

#### TO SUIT TOYOTA -BEACON SWITCH DT-11018

- 3A @ 12V
- Mounting hole: 39mm x 21mm
- Wiring Code: Black: Earth, Blue: Dash light circuit (optional), Red: 12V input, Green: 12V output
- Suits:
  - Prado 120 series 2003 2009
  - Landcruiser 100 series 1998 2007
  - Landcruiser 79 series New Model
  - FJ Cruiser 2010 2013
  - KUN26R, GGN15R, GGN25R series
  - HiLux 2005 2013
  - Hiace 2005 2013

#### NON-VEHICLE SPECIFIC SWITCHES



- On/Off SPST
- 1 pole
- 2 positions
- 5 terminals
- Blue illumination
- Mounting hole: 36mm x 20mm

Part No.	Description
DT-11008	Driving Lights Switch
DT-11012	Beacon Switch
DT-11013	Aux Lights Switch
DT-11014	Backup Lights Switch
DT-11021	Light Bar Switch
DT-11022	Front Diff Switch

## DUAL USB PANEL MOUNT WITH VOLTMETER DT-11025

- 12V or 24V
- 2.1A per socket
- 4.2A combined



## AUTO ELECTRICAL SWITCH PANELS

### 4 SWITCH PANEL WITH FUSE PROTECTION

DT-11030

#### Control up to four devices with pre-wired illuminated rocker switches.

- 12/24V
- 20A @ 12V
- 1 pole
- 2 positions
- On/Off SPST
- Blue LED illumination
- Mounting hole: 93mm x 105mm
- Fascia hides blade fuse holders
- Includes 40 application decals to customise



## 6 SWITCH PANEL WITH FUSE PROTECTION

DT-11031

#### Control up to six devices with pre-wired illuminated rocker switches.

- 12/24V
- 20A @ 12V
- 1 pole
- 2 positions
- On/Off SPST
- Blue LED illumination
- Mounting hole: 93mm x 157mm
- Fascia hides blade fuse holders
- Includes 40 application decals to customise



## LIGHTING LED LIGHTS

#### **LED DRIVING LIGHTS**

170mm DT-DR170 220mm DT-DR220

- 170mm Diameter:
  1 LUX @ 690m, 8,600 raw Lumens,
  6,509 Effective Lumens (per pair)
- 220mm Diameter:
   1 LUX @ 920m, 13,500 raw Lumens
   10,222 Effective Lumens (per pair)
- High-powered CREE XTE LEDsDurable black powder-coated finish
- 10 to 32V compatible
- IP67 waterproof and dustproof rating
- Weatherproof Deutsch connectors
- 3 Year warranty



#### 7 INCH LED HEADLIGHT W/ PARK LIGHT AND INDICATOR DTHL7LED

- ADR road approved LED high/low beam headlight with incorporated parking light and indicator
- · Crisp white 6000K colour temperature
- Tough aluminium housing and polycarbonate lens
- IP67 waterproof and dustproof rating
- Compatible with 12V and 24V systems
- Negative switching and Canbus compatible
- 177 x 116mm to fit existing 7 inch housing



## LED ROCK LIGHT WHITE DTWL30VL

- Single light with 3x 3W LEDs
- 1000 Lumens output
- Surface mount
- · Aluminium body with polycarbonate lens
- IP69K rated to withstand high-pressure washing
- 12 month warranty
- 75 x 43 x 15mm



## EXHAUST PERFORMANCE SYSTEMS

#### 3" SYSTEM FOR GREATER AIRFLOW

Whilst many turbo diesels have 2 1/4" systems, Drivetech 4x4 Performance Exhaust Systems are all 3" which means greater airflow. Greater airflow leads to more power.

Other features of the Drivetech 4x4 Performance Exhaust Systems include:

- · Ease of fitment across a range of vehicles
- 100% mandrel bent as opposed to press bent. This means the diameter of the tube is constant from the dump pipe to the tail pipe resulting in smoother, more efficient flow which keeps performance up.
- · Aluminised steel to deal with everything from towing, offroad and highway driving.

#### Systems have been assembled using high quality components:

#### Dump pipe

- TIG welded
- · Mandrel bent quality dump pipes
- Laser cut
- Flange plates (10mm thick) 3" dump pipes

#### Catalytic converters

- · Efficient diesel catalytic converter
- Diesel cats have platinum coating so the correct emissions cleaning process can occur

#### Flex Joint

- 2 ply internal braiding
- 304 grade stainless steel

#### Muffler

- Glass packed
- Locked seam
- · Double skin for toughness and durability
- Mandrel bent internals
- · 6mm thickness tube for durability
- The muffler controls the exhaust gas expansion rate which controls back pressure against the turbine wheel so more power and less fuel used



## RECOVERY EQUIPMENT WINCHES



Using advanced dual speed technology for maximum strength and fast line retrieval, the Drivetech 4x4 Dual Speed

Winch is available in 9,500lb

and 12,000lb models. • 9.500lb: DT-D9500SR

#### 12.000lb: DT-D12000SR

- Features include: Multiple control box mounting options
- Waterproof rating IP67
- 26m synthetic rope Quiet operation
- Fully serviceable

#### Kit includes:

- 2-in-1 wired and wireless remote control
- High quality battery isolation switch
- Remote mount control box socket
- Aluminium hawse fairlead



#### **WINCH ROPE** DT-DWR926S

- 9mm x 26m
- Grey with black protective sleeve
- · Copper terminal on one end, metal ring on the other



#### **WINCH DAMPER**

DT-DAMPER

- · An essential safety item for any cable or strap based vehicle recovery
- Reflective strip for night time visibility and handy storage pockets for gear



#### **OFFSET HAWSE** FAIRLEAD

- Suits any brand of bull bar designed for an offset fairlead
- Smooth rope operation while protecting synthetic ropes against damage



#### 9500lb Dual Speed Winch (DT-D9500SR)

Line Pull		Line Speed		Motor			
lb	kg	ft/min	m/min	Amps			
0	0	38.7	11.8	85			
2375	1078	13.8	4.2	195			
4750	2157	10.2	3.1	257			
7125	3234	7.2	2.2	323			
9500	4307	4.9	1.5	419			

#### Performance at High Speed - Gear Ratio: 100.8:1

	· · · · · · · · · · · · · · · · · · ·						
Line Pull		Line Speed		Motor			
lb	kg	ft/min	m/min	Amps			
0	0	70.8	21.6	87			

#### - Above performance specs are based on first layer of drum -

Layer	Rated L	ine Pull	Rope o	n Drum
	lb	kg	ft	m
1	9500	4307	6.2	5
2	7700	3490	39	12
3	6500	2946	68.2	21
4	5700	2584	95	29

#### 12000lb Dual Speed Winch (DT-D12000SR)

#### Performance at Low Speed - Gear Ratio: 230.4:1

Line Pull		Line S	Line Speed Motor	
lb	kg	ft/min	m/min	Amps
0	0	33.7	10.3	79
3000	1362	11.5	3.5	177
6000	2724	8	2.4	259
9000	4086	5.8	1.8	330
12000	5488	3.9	1.2	425

#### Performance at High Speed - Gear Ratio: 115.2:1

Line Pull		Line Speed		Motor			
lb	kg	ft/min	m/min	Amps			
0	0	64.2	19.6	80			

#### - Above performance specs are based on first layer of drum -

Layer	Rated L	ine Pull	Rope o	n Drum
	lb	kg	ft	m
1	12000	5455	17.6	5.4
2	9530	4332	37	11.4
3	7920	3600	63	19.4
4	6770	3077	88	26.8

## RECOVERY EQUIPMENT KINETIC RECOVERY ROPE

#### **GET UNSTUCK FAST...**

#### Features include:

- Approximately 30% stretch, resulting in a smooth recovery
- Durable double-braided nylon construction with protective sleeves for the eyes
- Easy to handle and will not kink
- Handy carry bag that allows the rope to be easily washed and dried whilst in the bag

It is recommended that the minimum breaking strength of the rope should be between 2 and 3 times the vehicle's gross vehicle mass (GVM)



#### **RECOVERY ROPE**

3,000KG DT-KRR01

- Minimum Breaking Strength 3,000kg
- 6m long
- Suitable for recovering ATV's and quad bikes

#### **RECOVERY ROPE**

8,000KG DT-KRR02

- Minimum Breaking Strength 8,000kg
- 9m long
- Suitable for recovering small to medium 4WD's and SUV's

#### **RECOVERY ROPE**

11,000KG DT-KRR04

- Minimum Breaking Strength 11,000kg
- 9m long
- Suitable for recovering medium to large 4WD's and SUV's

#### **RECOVERY ROPE**

20,000KG DT-KRR05

- Minimum Breaking Strength 20,000kg
- 9m lona
- Suitable for recovering light to medium rigid trucks

## RECOVERY EQUIPMENT RECOVERY KITS



#### MAMMOTH RECOVERY KIT (LARGE) DT-RKLGE

Drivetech 4x4's Mammoth Recovery Kit is a comprehensive package containing everything required for a vehicle based or winch based recovery, including:

- 8,000kg Snatch Strap (9m)
- 5,000kg Winch Extension Strap (20m)
- 12,000kg Tree Trunk Protector (3m)
- Recovery Hitch
- 2 x 4.75T Bow Shackles
- 8,000kg Snatch Block
- LED Head Lamp
- Folding Camp Shovel
- Folding Brush Saw
- Full leather Rigger's Gloves
- Heavy-duty Recovery Bag with internal and external pockets





#### JUMBO RECOVERY KIT (SMALL) DT-RKSML

Drivetech 4x4's Jumbo Recovery Kit is a comprehensive package containing everything required for a vehicle based recovery, including:

- 8,000kg Snatch Strap (9m)
- 2 x 4.75T Bow Shackles
- Recovery Hitch
- LED Head Lamp
- Folding Camp Shovel
- Folding Brush Saw
- Full leather Rigger's Gloves
- Heavy-duty Recovery Bag with internal and external pockets



## RECOVERY EQUIPMENT STRAPS

### TREE TRUNK PROTECTOR

12,000kg 3m DT-TTP01

- Minimum Breaking Strength 12,000kg
- Used to prevent the ring-barking of trees when using a winch
- 100% polyester
- 75mm x 3m
- · Reinforced eyes



### WINCH EXTENSION STRAP

5,000kg 20m pt-weso1

- Minimum Breaking Strength 5,000kg
- Used to extend the reach of your winch cable to reach a strong, suitable anchor point
- 100% polyester
- 50mm x 20m
- Reinforced



#### SNATCH STRAP 8,000kg 9m pt-ssoot

0,000kg 9111 bi-55001

- Minimum Breaking Strength 8,000kg
- 100% nylon
- 60mm x 9m
- Reinforced eyes

It is recommended that the minimum breaking strength of the rope should be between 2 and 3 times the vehicle's

gross vehicle mass (GVM)



#### SNATCH STRAP 11,000kg 9m pt-ss002

----

- Minimum Breaking Strength 11,000kg
- 100% nylon
- 75mm x 9m
- Reinforced eyes

It is recommended that the minimum breaking strength of the rope should be between 2 and 3 times the vehicle's gross

vehicle mass (GVM)



## **EQUALISER STRAP KIT** 8,000kg 2.5m dt-esk

- Minimum Breaking Strength 8,000kg
- Equalises the force over multiple recovery points
- 100% polyester
- Kit includes:
  - 2.5m Equaliser Strap
  - 2 x 4.75T Bow Shackles



## RECOVERY EQUIPMENT ACCESSORIES

#### **FOLDING BRUSH** SAW DT-FLDSAW

- Folds up for safe storage
- 65Mn steel blade
- Open length 40cm



#### **RIGGER'S GLOVES** DT-RIGI V

• 100% genuine leather Helps keep hands clean and safe from injury



#### **BOW SHACKLE** 4.75T DT-BS47

- Rated to 4.75T
- Tested to AS/NZS 2741.2002



#### **RECOVERY** POINTS

- Available to suit most popular models
- Rated points
- Supplied with fitting instructions
- Sold in pairs where applicable
- Painted yellow for visibility



#### **RECOVERY** HITCH DT-RECHTO

- Alloy construction
- Suits 50mm Towbar Hitches
- Made from lightweight aluminium rated to 4.75T
- · Cross drilled, so you can use it either vertically or horizontally
- Includes 1 x 4.75T Bow Shackle



#### **SNATCH BLOCK** 8,000kg DT-SB8T

- Rated to 8,000kg
- Greasable for smoother operation and longer life
- Will handle up to 13mm cable/rope



### **RECOVERY EQUIPMENT OFFROAD JACK & ACCESSORIES**

#### **OFFROAD JACK** 48" DT-HLJ48

- Rated to 1.750kg
- Meets the mandatory requirements of AS/NZS 2693-2007
- Minimum height 98mm
- Maximum height 1,032mm

#### **OFFROAD JACK** SPARE WHEEL MOUNT DT-HLJSWM

- · Provides a solid mounting point for the iack on the rear wheel carrier found on most 4WD models
- · Does not require removal of the spare wheel for installation



#### OFFROAD JACK BAG DT-HLJB

• To keep your Drivetech 4x4 Offroad Jack mechanism free contaminants and ready for use

#### **OFFROAD JACK** STAND BASE DT-HLJSB

 Provides a solid base on uneven terrain for stability

DT-HLJHH

## OFFROAD JACK HANDLE HOLDER

 Holds handle in an upright position during travel and storage



#### **OFFROAD JACK** BUMPER LIFT KIT DT-HLJBLK

· Hooks to vehicle bumper to lift with the Offroad Jack



#### **OFFROAD** JACK MATE DT-HLJSHM

#### Transform your Offroad Jack into:

- Clamp/spreader
- Chain slot
- Wire strainer
- Bottle opener
- Shackle hole



**WARRANTY ALL RECOVERY EQUIPMENT - 1 Year** 



## TYRE MAINTENANCE AIR COMPRESSOR

#### **GET PUMPED UP**

Correct tyre pressure is one of the most important factors in 4WDing. With an air compressor, tyre deflator and repair kit onboard, you will be ready to take the pressure down on the track and back up again before you hit the bitumen.

#### AIR COMPRESSOR KIT DT-COMPKIT

The Drivetech 4x4 Air Compressor Kit is a comprehensive kit that comes in a heavy duty bag with pockets.

#### The kit includes:

- Air Compressor (complete with 2m power cord with battery clamps and 6.5m rubber air hose with snap fittings)
- Tyre Repair Kit
- Tyre Deflator



#### **AIR COMPRESSOR**

#### DT-COMPRESSOR

- 300L/min Air Compressor
- Working pressure 40psi
- Maximum pressure 150psi
- Pistol grip inflator trigger with inbuilt deflator
- In-line inflator with built in gauge
- · 2m power cord with battery clamps
- 8m rubber air hose with snap fittings
- Duty cycle is 15min (at 24°C) with five minute cool down time
- 12V 45A
- Heavy-duty bag with pockets



## TYRE MAINTENANCE REPAIR & ACCESSORIES

## REPLACEMENT TYRE REPAIR PLUG

DT-1879-20

- Pack of 20
- Keeps your Tyre Repair Kit full and ready at all times



#### TYRE INFLATOR

DT-INFLATOR

- · Large, easy to read gauge
- Integrated purge valve
- · Tyre inflation valve locking
- Flexible hose
- · Impact resistant gauge protector



## COMPRESSOR HOSE EXTENSION KIT

DT-CHEK

- 6.5m Extension Hose
- Allows the air compressor hose to reach a caravan or trailer
- Supplied with the same quality snap fitting joiner as the Drivetech 4x4 Air Compressor Kit hose



## TYRE MAINTENANCE PRESSURE MONITORING

## TYRE PRESSURE MONITORING SYSTEM DT-TPM01

- · Specifications:
  - Fast/slow leakage alarm
  - High/low pressure alarm
  - Can upgrade to 10 tyres
  - Tyre pressure range:0~6Bar/0~87PSI
- Features include:
  - · Wireless transmission
  - DIY installation
  - · Real-time monitoring
  - High temperature alarm
  - · All weather design
  - Audio alarm
  - Visual warning
  - Wireless LCD display
  - High temperature resistance battery
  - High efficiency solar panel
  - · Long life battery



#### ADDITIONAL SENSORS DT-TPM02

- Additional sensors for use on trailers and spare wheels
- Replacement for lost or damaged sensors
- · Sold as a pair





### AWNINGS AWNINGS AND ACCESSORIES



#### **AWNINGS**

Easy to install and easy to use, these awnings are made from high quality 280GSM ripstop polyester material and feature:

- Flexible nylon knuckles on the poles
- Telescopic twist lock alloy leas
- · UV stable heavy duty nylon storage bag
- L-brackets to suit easy universal installation to most roof racks

#### Available in four sizes:

- DT-AW001 2 x 2.5m
- DT-AW002 2.5 x 2.5m
- DT-AW003 2.5 x 3m
- DT-AW004 1.4 x 2m



#### AWNING MESH KITS

Made from a nylon mesh these mosquito enclosures or mesh kits are designed to use when you're in the bush and trying to keep flies and mosquitoes away so you can just relax...

#### Available in four sizes:

- DT-AWMK1 2 x 2.5m
- DT-AWMK2 2.5 x 2.5m
- DT-AWMK3 2.5 x 3m
- DT-AWMK4 1.4 x 2m



### MESH FLOOR DT-AWFLOOR

A handy 3x3m mesh floor that provides a clean floor covering no matter what surface you are on.

- Made from 280GSM high density polyethylene
- 12 reinforced eyelets



### AWNING WALL DT-AWSW1

Handy Drivetech 4x4 Awning accessory that will provide extra shade no matter what time of the day it is or where the sun is coming from.

- Made from 280GSM ripstop polyester material
- Easy to attach and easy to pack up
- Fits all 2.5m awning sides and ends



## **SUSPENSION**DRIVETECH 4X4 ENDURO RANGE

#### ENDURO NITRO GAS SHOCK ABSORBERS & STRUTS

- · Nitrogen gas charged
- Twin tube
- · Self-lubricating multi-lip oil seal
- 35mm bore
- 16-18mm chromed piston rod
- Suits up to 50mm raised suspension



### ENDURO STEERING

- Twin tube
- 35mm bore



#### ENDURO FOAM CELL SHOCK ABSORBERS

- Foam-cell technology
- Twin tube
- Chromed piston rod
- · Heavy duty construction
- Suits 50mm raised suspension
- Available in heavy duty and extra heavy duty (constant load)



# ENDURO PRO SHOCK ABSORBERS & STRUTS

- Multi-stage valving
- Height adjustable spring seat struts
- · Braided line to reservoir
- 46mm diameter piston
- Triple O-ring swivel connector
- Heavy duty rubber bushes



#### **ALSO SOLD SEPARATELY**

Pins

Poly Bushes

Shackles

Strut Tops

U Bolts











### SUSPENSION DRIVETECH 4X4 ENDURO RANGE

## PERFORMANCE NEVER LOOKED SO GOOD

The Drivetech 4x4 Enduro Pro remote reservoir monotube shock performs even better than it looks. The remote reservoir provides excellent heat dissipation to improve shock performance whilst allowing for extra shock travel when offroad.

### ENDURO PRO SHOCK ABSORBERS & STRUTS

- Multi-stage valving providing both comfort and performance
- Height adjustable spring seat struts for fine tuning ride height
- Braided line to reservoir reducing the risk of damage to the line when offroad
- 20mm chrome piston rod for extra strength when side load exists during full travel
- 46mm diameter piston allowing for more precise tuning
- Triple O-ring swivel connector tightly sealing the system from water and dust
- Heavy duty rubber bushes for a long life cycle

#### Available for 4WD models:\*

- Ford Maverick
- Ford Ranger
- Holden Colorado
- Isuzu D-MAX
- Isuzu MU-X
- Mazda BT-50
- Mitsubishi Triton
- Nissan Navara
- Nissan Patrol
- Toyota Hilux
- Toyota Fortuner
- Toyota Landcruiser
- Toyota Prado

\*Note: For latest model range listing, contact your nearest Drivetech 4x4 Dealer, or visit our website, as listed on the back page of this booklet.





### SUSPENSION NDURO SUSPENSION LIFT KITS

Drivetech 4x4 Enduro Suspension Lift Kits are engineered for ultimate suspension performance.

They contain everything you need to successfully raise your 4WD for increased on road comfort, and offroad performance.

#### **ENDURO NITRO GAS SUSPENSION LIFT KITS**



Available in heavy duty and extra heavy duty (constant load)

- Suits up to 50mm raised suspension
- Shock absorbers and struts
  - Nitrogen gas charged
  - Twin tube
  - Self-lubricating multi-lip oil seal
  - 35mm bore
  - 16-18mm chromed piston rod
- Australian made coil springs Greasable shackles and pins
- Polyurethane bushes
- Heavy duty torsion bars

#### ENDURO FOAM CELL SUSPENSION LIFT KITS



- Available in heavy duty and extra heavy duty (constant load)
- Suits up to 50mm raised suspension.
- Shock absorbers
  - Foam-cell technology
  - Twin tube
  - Chromed piston rod
  - · Heavy duty construction
- · Australian made coil springs
- Greasable shackles and pins
- Polvurethane bushes

#### **ENDURO PRO SUSPENSION LIFT KITS**



- Available in heavy duty and extra heavy duty (constant load)
- Suits up to 50mm raised suspension.
- Shock absorbers and struts
  - Multi-stage valving
  - Height adjustable spring seat struts
  - · Braided line to reservoir
  - 20mm chrome piston rod
  - 46mm diameter piston
  - Triple O-ring swivel connector
  - Heavy duty rubber bushes
- Australian made coil springs
- Greasable shackles and pins
- Polyurethane bushes

## FLARES NO DRILL FLARE KITS

Have you fitted a bigger wheel and tyre combo and need to widen your vehicle to suit? We have the solution.

- The flares widen the stance of your 4wd allowing you to use a variety of offset wheels and larger tyres
- Our flares allow the vehicle to be keep clean and free from damage as your wheels can sling
  mud and rocks along the body. The flares contain the rocks and mud keeping the vehicle
  free from dirt / mud and rock debris
- Available for a wide range of makes and models
- · Available in two sizes 6inch. 9inch
- Available in either smooth or stud finish
- ABS thermo plastic
- Matt black finish
- UV stable
- · Contains everything required to fit to all 4 wheel arches of a dual cab

#### **SMOOTH FINISH**

A sleek smooth appearance that represents a factory style look, whilst allowing for a wider tyre and wheel combo.

Available for 4WD utes.



#### STUD FINISH

A tough flare with a bolt-on look to increase the stance of your 4x4.

Available for 4WD utes:



## FILTRATION ENGINE PROTECTION

#### VEHICLE SPECIFIC DIESEL PRE-FILTER KIT

Designed by diesel fuel injection manufacturers as a pre-filter to the original equipment filter, Drivetech 4x4 Fuel Manager protects vital diesel injection components from water, humidity, acids and other contaminants before they hit the primary fuel filter.

These kits are easily installed in your engine bay without having to modify any existing vehicle components. With multiple inlet and outlet ports, this dynamic design allows flexibility during installation.

#### Why is Drivetech 4x4 Fuel Manager the best choice?

- Longlife filter media has been heat and chemically treated for maximum durability and acid resistance
- Easy view, see through polycarbonate drain bowl
- Suits all diesel engines from 50 to 350 horse power (37 to 261 kilowatts) with a maximum fuel operating pressure of 60psi

### Vehicle specific Drivetech 4x4 Fuel Manager diesel pre-filter kits include:

- Drivetech 4x4 Fuel Manager diesel pre-filter unit
- Vehicle specific high-grade stainless steel mounting bracket
- Step-by-step installation instructions
- Brass barbs and plugs
- Vehicle specific fuel line hose and connectors
- Polycarbonate bowl



#### **VEHICLE SPECIFIC PROVENT CATCH CAN**

Drivetech 4x4 aftermarket vehicle specific Catch Can Kits are designed for separating oil and preventing contamination of diesel engine induction systems.

#### The range includes:

- · Vehicle specific kits
- Universal kits
- · Replacement elements

#### Kits include:

- ProVent® Catch Can
- · Vehicle specific stainless steel bracket
- Pressure control valve
- Pressure relief / Bypass valve
- Hose and reducers
- Nuts, bolts and clamps
- Comprehensive installation instructions



#### VEHICLE SPECIFIC FILTER SERVICE KITS

Drivetech 4x4 Filter Kits are made to high quality standards to meet the harsh demands of off road environments.

Kits are available for most makes and models in Australia and New Zealand.

The filters contain a high quality filtration medium to ensure maximum engine efficiency and reliability.

Each kit contains all necessary service filters.



### UNIVERSAL 2 POINT DIFF BREATHER KIT DT-2DBK

This easy to install universal diff breather kit comes with everything you will need to protect your front and rear diff from water ingress.

- Reduces the risk of damage to the front and rear diff on your 4x4 with a simple yet
  effective design
- Ensures easy fitment and maintenance
- Allows connection of a hose to a high point of the engine bay safely and securely to reduce the risk of damage to the tube from moving objects

#### Kit includes:

- 1 x 10m hose
- 4 x clamps
- 1 x mounting bracket
- 2 x barb fittings and filters
- 10 x cable ties




## TRED OFF ROAD RECOVERY DEVICE

#### **EXPLORE WITH CONFIDENCE.**

TRED is the ultimate all-in-one off road recovery device, specially designed to get your four-wheel drive, ATV and equipment out of trouble when traction is lost in sand, mud, sludge, slime or snow.

Engineered and manufactured in Australia from only the highest quality materials, TRED's are designed to handle intense levels of torque, flex, weight and impact. Intense reviews of every fine detail in the design process make TRED 4x4 the best choice for your recovery. With a designated shovel feature, extreme hex grip nodules, aggressive ramp entry teeth and ultimate wear resistant properties, TRED 4x4 will allow you to explore with confidence, without letting traction disrupt your journey.





#### TRED GT

- High quality automotive grade polypropylene
- All weather ambient 0° to 55°C
- Greater strength vehicles up to 4T
- Ultra lightweight 2.7kg each
- Greater contact 220mm traction width
- All terrain sand, mud or light snow

Improved flex for maximum performance

- Australian made
- Lifetime warranty
- Available in 5 colour





#### TRED HD

- High quality custom engineered nylon blend
- All season ambient -15° to 70°C
- Superior strength vehicles up to 4.5T
- Lightweight 3.5kg each
- Greater contact 220mm traction width
- All terrain sand, mud or snow

 Ultimate flex for maximum performance

- Australian made
- · Lifetime warranty
- Available in 4 colours



#### **TRED PRO**

- EXOTRED™ patented dual composite construction for ultimate durability
- SIPE-LOCK™ patented grip profile for ultimate traction
- All weather ambient -15° to 70°C
- Superior strength vehicles up to 4.5T
- Lightweight 4.1kg each
- Greater contact 280mm traction width
- All terrain sand, mud or light snow
- Improved flex for maximum performance
- Australian made
- Lifetime warrantv
- Available in 6 colours



### TRED ACCESSORIES

- Carry Bags
- Mounting Solutions
- Securing pins
- Adaptors
- Straps



	TRED 800	TRED GT	TRED HD	TRED PRO
LENGTH (single unit)	790 mm	1085 mm	1090 mm	1160 mm
WIDTH (single unit)	268 mm	312 mm	314 mm	330 mm
HEIGHT (single unit)	73 mm	62 mm	62 mm	65 mm
STACK HEIGHT (Pair)	105 mm	84 mm	84 mm	85 mm
WEIGHT (Pair)	5.5kg	5.5kg	6.9kg	8.2kg

## SAFARI SNORKELS BREATHE EASY WITH SAFARI

#### Pioneered in Australia in the early 1980's, Safari Snorkels are:

- Thoroughly researched, tested and tooled for popular 4WD models
- Manufactured to the highest standards in durable, UV stable, cross-linked polyethylene material and deliver a continuous and cooler supply of air for maximum engine performance
- Inclusive of quality fixtures and fittings that deliver superior sealing, OEM levels of presentation and long-term durability
- Positively sealed in order to provide the engine with the ultimate in protection during river crossings and dusty desert driving conditions

#### **SNORKELS**

#### Available for 4WD models:\*

- Toyota Hilux
- Isuzu D-MAX
- Holden Colorado
- · Nissan Patrol GU Ute, GU Wagon
- Toyota Landcruiser Prado 120 Series, 150 Series
- Mitsubishi Pajero
- Mitsubishi Triton
- Nissan Navara
- Toyota Landcruiser 80 Series, 100 Series (IFS petrol), 100 Series (Live Axle Front), 200 Series
- Ford Ranger
- Mazda BT50
- And many more

\*Note: For latest model range listing, contact your nearest Drivetech 4x4 Dealer, or visit our website, as listed on the back page of this booklet.



#### **V-SPEC**

The traditional Safari Snorkel range, but largely restricted to current model vehicles.

Essentially unchanged from the current Safari Snorkel.

#### **Key features:**

- Manufactured in Australia from Safari's own Industrial Spec UV Stabilised Polyethylene
- Identical look to the current versions of the Safari Snorkel
- · Primarily suit current model vehicles.

#### **ARMAX**<sup>TM</sup>

Performance orientated Safari Snorkels that provide the necessary airflow required by those wishing to increase vehicle engine performance.

#### **Key features:**

- Safari's own Industrial Spec UV Stabilised Polyethylene
- Safari's rounded style Air Ram with minimum 4" neck and an optimised air flow, low restriction grill
- Design and flow tested for maximum performance.





#### For further information please visit:

Australia - www.drivetech4x4.com.au
New Zealand - www.drivetech4x4.co.nz



Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

GPC Asia Pacific ABN 97 097 993 283

Phone: 1800 463 646